## (19) World Intellectual Property Organization

International Bureau





(43) International Publication Date 17 March 2005 (17.03.2005)

PCT

## (10) International Publication Number WO 2005/023710 A2

(51) International Patent Classification<sup>7</sup>:

C01B 3/38

(21) International Application Number:

PCT/EP2004/010169

(22) International Filing Date:

9 September 2004 (09.09.2004)

(25) Filing Language:

English

(26) Publication Language:

**English** 

(30) Priority Data:

MI2003A1739

11 September 2003 (11.09.2003)

- (71) Applicants (for all designated States except US): ENI S.P.A. [IT/IT]; Piazzale E. Mattei, 1, I-00144 Rome (IT). ENITECNOLOGIE S.P.A. [IT/IT]; Via F. Maritano, 26, I-20097 San Doanta Milanese (IT).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): BASINI, Luca [IT/IT]; Via Arpesani, 6, I-20129 Milan (IT). BAR-TOLINI, Andrea [IT/IT]; Via Trieste, 67-B, I-20098 San Giuliano Milanese (IT). LUPI, Giancarlo [IT/IT]; Via Ponchielli, 7, I-26016 Spino d'Adda-Cremona (IT). CLERICI, Gabriele, Carlo, Ettore [IT/IT]; Via G.B. Morgagni, 11, I-20129 Milan (IT).

- (74) Agents: DE GREGORI, Antonella et al.; Ing. Barzanò & Zanardo Milano S.p.A., Via Borgonuovo, 10, I-20121 Milano (IT).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

## Published:

without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: CATALYTIC PARTIAL OXIDATION PROCESS FOR PRODUCING SYNTHESIS GAS

(57) Abstract: Partial oxidation process of liquid fuels, selected from hydrocarbon and/or oxygenated compounds, together with gaseous fuels, selected from hydrocarbon compounds, natural gas and LPG, by means of a suitable catalytic system comprising the following steps: premixing the reagents and possibly heating them to temperatures ranging from 25 to 400 °C, said reagents consisting of said liquid fuels, said gaseous fuels and oxygen or air or oxygen enriched air, optionally in the presence of vapour and/or CO<sub>2</sub>; reacting the mixture of reagents in the catalytic zone, at inlet temperatures ranging from 50 to 500 °C and space velocities ranging from 1,000 to 1,000,000 NI reagents/L cat x h, reaching temperatures ranging from 450 to 1350 °C.

